



MOUNTAIN BIKE SUSPENSION FRAMES

DHSmono


A GUARANTEED WINNER



The professionals choice, DHS Mono, is a totally unique downhill frameset which features a monocoque construction combined with seamless Alcoa tubing. Tig welded, then heat treated to T6, this frame is truly bomb proof. The core of the monocoque structure is injected with sound deadening foam giving the frame a solid feel without adding weight. The DHS Mono is a guaranteed winner.

	S	M	L
A	21.0	22.0	23.0
B	68°	68°	68°
C	72.5	72.5	72.5
D	43.0	44.0	45.0
E	17.750	17.750	17.750
F	14.0	14.0	14.0

SEAT POST DIAMETER 31.6
 HEAD TUBE DIAMETER 1 1/2"
 BOTTOM BRACKET SHELL 68MM



70 YEAR WHEEL TRAVEL

DHS Tube


SUPERIOR CORNERING



The design of the DHS Tube is a result of constant testing and racing on the worlds most demanding downhill courses. This new addition to the Foes Racing arsenal will be shredding the competition! Brent Foes has designed this downhill specific frameset to have a super active full 7" of rear wheel travel and its single sticktion free pivot utilizes four sealed aircraft bearings. Its ultra low center of gravity allows for superior cornering even through the toughest hairpin turns.

	S	M	L
A	21.0	22.0	23.0
B	68°	68°	68°
C	72.5	72.5	72.5
D	43.0	44.0	45.0
E	17.750	17.750	17.750
F	14.0	14.0	14.0

• SEAT POST DIAMETER 31.6
• HEAD TUBE DIAMETER 1 1/4"
• BOTTOM BRACKET SHELL 68MM



LTS 2


EXCELLENT CLIMBING ABILITY



The LTS is the monocoque brother of the Weasel 2. Featuring the same excellent riding and climbing abilities, the advantage of this model is that the main frame has been stiffened with an internal web. It also has 6" of fully tunable wheel travel and is offered with either a Fox-Vanilla RC coil-over shock or Fox air sprung shock.

	S	M	L
A	21.2"	22.2"	23"
B	71°	71°	71°
C	71.5	71.5	71.5
D	41.0"	42.0"	42.6"
E	17"	17"	17"
F	13.0	13.0	13.0

* SEAT POST DIAMETER 26.8
* HEAD TUBE DIAMETER 1 1/4"
* BOTTOM BRACKET SHELL 68MM



6" REAR WHEEL TRAVEL

Weasel²


FUN TO RIDE



- blue
- orange
- red
- yellow
- black
- polish

The Weasel 2 was designed to be FUN to ride. With 6" of rear wheel travel, the Weasel 2 can be ridden over almost any terrain while keeping the rider in control. The exact location of the swing arm pivot gives the frame excellent acceleration and climbing characteristics. The ovalized Alcoa 6061 seamless tube frame has been precisely triangulated for maximum strength and rigidity.

	S	M	L
A	21.2"	22.2"	23"
B	71°	71°	71°
C	71.5	71.5	71.5
D	41.0"	42.0"	42.6"
E	17"	17"	17"
F	13.0	13.0	13.0



- SEAT POST DIAMETER 26.8
- HEAD TUBE DIAMETER 1 1/2"
- BOTTOM BRACKET SHELL 68MM

6" REAR WHEEL TRAVEL

FOES GOODIES



Racing jerseys

Collar shirts



Testing



Tee shirts & Caps

FOES
Racing

Banners



Bottles



Stickers

Disc brake adapters



FOES
Racing

2660 Deodar Circle
Pasadena, CA 91107

Phone: (626) 683-8368
Fax: (626) 683-8622

web site: <http://home.earthlink.net/~foesracing/>

Special Clamping Collar
increase torsional stiffness

External Rebound Control
adjustable to meet
your needs

Air Assist
for increase spring rate

Dual Triple Clamps
computer designed
and CNC machined

Steering Stop
available as an
optional accessory

Perfect Combinations
By adding air and oil
to the spring chamber
you can increase
spring rate towards
end of travel

Lab FOES Racing F1

Piston with Valve Plates
for compression &
rebound control

Floating Piston
eliminates oil foaming

Oil bath
eliminates sticktion

60 Pound Spring

Inner changeable spring
rates for varying course
conditions

Ideal for dialing in riders
weight and performance
requirements

31.75 O.D.
Easton
fork tube

80 Pound Spring

Fork Travel
6.5" (165mm)



100 Pound Spring

Large 30mm Axle
dual pinch bolt for
added stiffness

Oversized Hub
extra large sizing, and bearings
provide a stiffer, stronger wheel
while absorbing greater impacts